

- Corrosion resistant and slip-resistant finish.
- Drop-forged and water resistant.

COMBINATION WRENCH DIN3113 (MATT FINISH)

Code	Size (mm)	Length (mm)
B-02-206	6	105
B-02-207	7	115
B-02-208	8	125
B-02-209	9	135
B-02-210	10	145
B-02-211	11	155
B-02-212	12	165
B-02-213	13	175
B-02-214	14	185
B-02-215	15	195
B-02-216	16	205
B-02-217	17	215
B-02-218	18	225
B-02-219	19	235
B-02-220	20	245
B-02-221	21	255
B-02-222	22	265
B-02-223	23	275
B-02-224	24	285
B-02-225	25	295
B-02-226	26	305
B-02-227	27	315
B-02-228	28	325
B-02-229	29	335
B-02-230	30	345
B-02-232	32	365



Code : B-02-624PB (14pcs.)
Size : (6,7,8,9,10,11,12,13,14,17,19,21,22,24mm)



Code : B-02-832PB (14pcs.)
Size : (8,10,11,12,13,14,17,19,21,22,24,27,30,32mm)

DOUBLE OPEN END WRENCH DIN3110 (MATT FINISH)

Code	Size (mm)	Length (mm)
B-05-203	6 x 7	123
B-05-204	6 x 8	123
B-05-206	8 x 9	140
B-05-207	8 x 10	140
B-05-208	10 x 11	156
B-05-209	10 x 12	156
B-05-211	11 x 13	172
B-05-212	12 x 13	172
B-05-213	12 x 14	180
B-05-218	14 x 15	190
B-05-219	14 x 17	195
B-05-221	16 x 17	204
B-05-223	17 x 19	221
B-05-224	18 x 19	221
B-05-227	19 x 22	237
B-05-228	20 x 22	237
B-05-231	21 x 23	247
B-05-234	22 x 24	247
B-05-235	23 x 26	255
B-05-238	24 x 27	263
B-05-241	25 x 28	279
B-05-245	27 x 30	283
B-05-246	27 x 32	289
B-05-248	30 x 32	298




Code : B-05-622PB (8pcs.)
Size : 6x7, 8x9, 10x11, 12x13, 14x15,
16x17, 18x19, 20x22mm



Code : B-05-632PB (12pcs.)
Size : 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19,
20x22, 21x23, 24x27, 25x28, 30x32mm

DOUBLE RING OFFSET 75° WRENCH DIN838 (MATT FINISH)

Code	Size (mm)	Length (mm)
B-08-203	6 x 7	168
B-08-204	6 x 8	168
B-08-205	8 x 9	183
B-08-206	8 x 10	183
B-08-207	9 x 11	198
B-08-208	10 x 11	198
B-08-209	10 x 12	198
B-08-211	11 x 13	217
B-08-212	12 x 13	217
B-08-213	12 x 14	217
B-08-218	14 x 15	239
B-08-219	14 x 17	258
B-08-220	15 x 17	260
B-08-221	16 x 17	260
B-08-223	17 x 19	292
B-08-224	18 x 19	292
B-08-226	17 x 22	318
B-08-227	19 x 21	318
B-08-228	19 x 22	318
B-08-230	20 x 22	318
B-08-231	21 x 23	330
B-08-237	24 x 26	345
B-08-238	24 x 27	345
B-08-241	25 x 28	355
B-08-248	30 x 32	370



Code : B-08-622PB (8pcs.)

Size : 6x7, 8x9, 10x11, 12x13, 14x15,
16x17, 18x19, 20x22mm



Code : B-08-632PB (12pcs.)

Size : 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19,
20x22, 21x23, 24x27, 25x28, 30x32mm

RATCHET WRENCH



Code Size (mm)

B-SWG-0106	6
B-SWG-0107	7
B-SWG-0108	8
B-SWG-0109	9
B-SWG-0110	10
B-SWG-0111	11
B-SWG-0112	12
B-SWG-0113	13
B-SWG-0114	14
B-SWG-0115	15
B-SWG-0116	16
B-SWG-0117	17
B-SWG-0118	18
B-SWG-0119	19
B-SWG-0120	20

- 18-25% wider jaw opening for better application • Super Knurl
- Greater power leverage • Non-protruding rod • Thicker Handle

ADJUSTABLE WRENCH (AP SERIES)



Code Size (in)

B-AW-06AP	6
B-AW-08AP	8
B-AW-10AP	10
B-AW-12AP	12
B-AW-15AP	15

- Offers more torque
- Longer length provide access to difficult-to-reach fasteners.

EXTRA LONG BALL POINT HEX KEY



B-33-015SR	1.5 mm
B-33-020SR	2.0 mm
B-33-025SR	2.5 mm
B-33-030SR	3.0 mm
B-33-040SR	4.0 mm
B-33-050SR	5.0 mm
B-33-060SR	6.0 mm
B-33-080SR	8.0 mm
B-33-100SR	10.0 mm

9PCS. EXTRA LONG BALL POINT HEX KEY



CODE : B-363-9SR

9PCS. EXTRA LONG STAR KEY



CODE : B-163-9SR

B Bernmann®

- Special Cr-Mo Alloy steel upper handles for longer life
- High corrosion resistant finish
- Precisely machined teeth for a secure grip
- Locking mechanism for hands-free clamping
- Drop-forged jaws for durability and toughness

LOCKING PLIERS

Code

Size (in)



Long Nose

(CrV Jaw CrMo Upper Handle with Wire Cutter)

B-9ATLW 9

B-6ATLW 6



Curve Jaw

(CrV Jaw CrMo Upper Handle with Wire Cutter)

B-10ATNW 10

B-7ATNW 7




Straight Jaw

(CrV Jaw CrMo Upper Handle)

B-10ATSO 10

B-7ATSO 7




Locking C-Clamp Plier with Swivel Pad

(CrV Jaw CrMo Upper Handle)

B-11ATLCSP 11

B-18ATLCSP 18



Locking C-Clamp Plier

(CrV Jaw CrMo Upper Handle)

B-11ATLC 11

B-18ATLC 18



Welder's Grip Wrench

(CrMo Jaw CrMo Upper Handle)

B-9ATWGR 9



Sheet Metal Grip

(CrMo Jaw CrMo Upper Handle)

B-8ATSMR 8



Locking Pinch-Off Plier

(CrMo Upper Handle)

B-7ATSC 7




Chain Wrench

(CrV Jaw CrMo Body SUJ2 Body)

B-19ATLK 19

• Durable mirror finish • Corrosion resistant • Easy to wipe clean


1/2" DRIVE 12PT SOCKET (Mirror Finish)



1/2" DRIVE 12PT SOCKET

Code	Size (mm)
B-217E10	10
B-217E11	11
B-217E12	12
B-217E13	13
B-217E14	14
B-217E15	15
B-217E16	16
B-217E17	17
B-217E18	18
B-217E19	19
B-217E20	20
B-217E22	22
B-217E23	23
B-217E24	24
B-217E27	27
B-217E30	30
B-217E32	32

1/2" DRIVE 6PT SOCKET (Mirror Finish)



1/2" DRIVE 6PT SOCKET

Code	Size (mm)
B-207E10	10
B-207E11	11
B-207E12	12
B-207E13	13
B-207E14	14
B-207E15	15
B-207E16	16
B-207E17	17
B-207E18	18
B-207E19	19
B-207E20	20
B-207E22	22
B-207E23	23
B-207E24	24
B-207E27	27
B-207E30	30
B-207E32	32

- Manufactured from special Cr-Mo alloy steel
- Precision forged and heat treated for optimum strength and durability

1/2" DRIVE 6PT DEEP SOCKET

(Mirror Finish)



Code	Size (mm)
B-207D10	10
B-207D12	12
B-207D14	14
B-207D17	17
B-207D19	19
B-207D21	21
B-207D22	22
B-207D24	24

1/2" DRIVE 6PT DEEP IMPACT SOCKET

(Black Finish)



Code	Size (mm)
B-107D10	10
B-107D12	12
B-107D14	14
B-107D17	17
B-107D19	19
B-107D22	22
B-107D24	24
B-107D27	27
B-107D30	30
B-107D32	32

3/4" DRIVE 6PT IMPACT SOCKET

(Black Finish)



Code	Size(mm)	List Price	Code	Size(mm)
B-103017	17	Php 405.00	B-103037	37
B-103019	19	Php 405.00	B-103038	38
B-103020	20	Php 410.00	B-103040	40
B-103021	21	Php 410.00	B-103041	41
B-103022	22	Php 415.00	B-103042	42
B-103023	23	Php 430.00	B-103044	44
B-103024	24	Php 430.00	B-103045	45
B-103025	25	Php 435.00	B-103046	46
B-103026	26	Php 435.00	B-103047	47
B-103027	27	Php 435.00	B-103048	48
B-103028	28	Php 435.00	B-103050	50
B-103029	29	Php 435.00	B-103054	54
B-103030	30	Php 450.00	B-103055	55
B-103032	32	Php 450.00	B-103060	60
B-103033	33	Php 450.00	B-103063	63
B-103034	34	Php 535.00	B-103065	65
B-103035	35	Php 535.00	B-103070	70
B-103036	36	Php 675.00		

1/2" DRIVE 6PT IMPACT SOCKET (Black Finish)



1/2" DRIVE 6PT IMPACT SOCKET

Code	Size (mm)
B-107010	10
B-107011	11
B-107012	12
B-107013	13
B-107014	14
B-107015	15
B-107016	16
B-107017	17
B-107018	18
B-107019	19
B-107020	20
B-107022	22
B-107023	23
B-107024	24
B-107027	27
B-107030	30
B-107032	32



Code

Size

Quick Change Shank to 1/2" Square Drive Adapter

B-QCS12SD

1/2"



Quick Change Shank to 1/4" Keyless Chuck Adapter

B-QCS14KC

1/4"



Universal Joint (Mirror Finish)

B-127816

1/2"

32mm x 160mm



Extension Bar (Mirror Finish)

B-712125

1/2"

15.6mm x 22.5mm x 5in.

B-712250

1/2"

15.6mm x 22.5mm x 10in.



Sliding T-Bar (Mirror Finish)

B-753230

1/2"

10in.



Swivel Handle (Mirror Finish)

B-773246

1/2"

18in.

B-773238

1/2"

15in.



Ratchet Handle Quick Release (Mirror Finish)

B-781210

1/2"

10in.



Code

Size

Spark Plug Socket (Satin Finish)

B-S12160	1/2"	5/8in.
B-S12206	1/2"	13/16in.



T-Type Deep Socket Wrench (Satin Finish)

B-T22008	8mm
B-T22009	9mm
B-T22010	10mm
B-T22011	11mm
B-T22012	12mm
B-T22013	13mm
B-T22014	14mm
B-T22017	17mm
B-T22019	19mm



Magnetic Nut Setter

• Quick change shank • Magnetic bit retention

B-M00865	8mm x 65mm
B-M01065	10mm x 65mm
B-M51665	5/16" x 65mm
B-M38065	3/8" x 65mm



Cross Wrench

B-171921	17/19/21/23mm
----------	---------------



Tire Wrench

B-351713	35mm x 17mm x 13" Length
B-412117	41mm x 21mm x 17" Length



Socket Set 26pcs. (Metal Case with Handle Orange Color)

B-002600	1/2"	6PT. Socket
	1/2"	10,11,12,13,14,15,16,17,18, 19,20,21,22,23,24,27,30,32mm
	1/2"	Sliding T-Bar
	1/2"	Extension Bar 10"
	1/2"	Extension Bar 5"
	1/2"	Spark Plug Socket 16 & 21mm
	1/2"	Universal Joint
	1/2"	Ratchet handle w/ Black TPR Handle
	1/2"	Flexible handle 15"

IMPACT SCREWDRIVER



Code

B-400557

IMPACT DRIVER BITS

• Made from tough S2 steel



Code

P x L (HEAT TREATMENT)

B-431041	C51 +2 x 36G
B-431051	C51 +3 x 36E
B-431061	C51 +4 x 36E
B-431042	C51 +2 X 80G
B-431052	C51 +3 X 80E



Code

W x L (HEAT TREATMENT)

B-431171	C51 -8 x 36E
B-431271	C51 -10 x 36E
B-431273	C51 -12 x 36E
B-431172	C51 -8 x 80E
B-431272	C51 -10 x 80E





Code

Size (P x L)

B-413029	+1 x 45H
B-413031	+1 x 65H
B-413232	+1 x 110G
B-413041	+2 x 45H
B-413042	+2 x 65H
B-413242	+2 x 110G
B-413246	+2 x 150G
B-413052	+3 x 65H
B-413252	+3 x 110H

1/4" HEX SHANK CROSS POINT DOUBLE END SCREWDRIVER BIT



Code

Size (P x L)

B-487105	+1 x 1"
B-487106	+2 x 1"
B-489020	+2 x 50mm

1/4" HEX SHANK CROSS POINT END SCREWDRIVER BIT



Code

Size (P x D x L)

B-424035	+1 x 4.5 x 75
B-489229	+2 x 6 x 51
B-489242	+2 x 6 x 75

1/4" HEX SHANK CROSS POINT SINGLE END SCREWDRIVER BIT

Bernmann®

- Made of solid high grade Chrome Vanadium for longer working life.
- Comfortable grip




Code B-10110-7
Description Combination Plier
Size 180mm




Code B-10110-8
Description Combination Plier
Size 200mm




Code B-10840-9
Description High Leverage Linesman Plier
Size 230mm



Code B-20501-8
Description End Cutting Nipper
Size 200mm




Code B-10102-6
Description Slip Joint Plier
Size 160mm



Code B-10102-8
Description Slip Joint Plier
Size 200mm


Hand Tools

Bernmann®



Code
Description
Size


B-10410-6
Diagonal Plier
160mm



B-10410-7
Diagonal Plier
180mm




B-10107-7
Heavy Duty Diagonal Plier
180mm



Code
Description
Size

B-10210-6
Long Nose Plier
160mm



B-10210-8
Long Nose Plier
200mm

Bernmann®

Code
Description
Size



B-10900-10
Groove Joint Plier
250mm




B-10900-12
Groove Joint Plier
300mm

Code
Description
Size



B-20350-7
Internal Snap Ring Plier
Straight Jaw
180mm




B-20352-7
Internal Snap Ring Plier
Bent Jaw
180mm

Code
Description
Size



B-20360-7
External Snap Ring Plier
Straight Jaw
180mm



B-20362-7
External Snap Ring Plier
Bent Jaw
180mm

Hand Tools

PIPE WRENCH



- Forged-steel jaw provide outstanding strength

DUCTILE PIPE WRENCH

Code	Sizes
B-PW-08D	200mm (8")
B-PW-10D	250mm (10")
B-PW-12D	300mm (12")
B-PW-14D	350mm (14")
B-PW-18D	450mm (18")
B-PW-24D	600mm (24")



- Light weight aluminum for less job fatigue

ALUMINUM PIPE WRENCH

Code	Sizes
B-PW-36A	900mm (36")
B-PW-48A	1200mm (48")

TANG-THRU SERIES

Handle: Injection Molded, Shock-proof Polymer (with end cap)

Blade: Square Bar, Chrome Vanadium Steel (Cr-V), anodized brown, magnetized tip.

- Anodized blades for corrosion resistance and easy clean-up
- Square bar for higher torque tightening with the aid of an open-spanner.



Code	Description (Tip x Length)	Blade Dia.	Tip Size (Thickness x Width)
------	-------------------------------	------------	---------------------------------

SLOT TIP:

B-04A	5 mm x 4"	5 mm	0.84 x 4.76 mm
B-06A	5 mm x 6"	5 mm	0.84 x 4.76 mm
B-04B	6 mm x 4"	6 mm	1.02 x 6.35 mm
B-06B	6 mm x 6"	6 mm	1.02 x 6.35 mm
B-06	8 mm x 6"	8 mm	1.17 x 7.92 mm
B-08	8 mm x 8"	8 mm	1.17 x 7.92 mm
B-10	8 mm x 10"	8 mm	1.17 x 7.92 mm

PHILLIPS TIP:

B-41	5 mm x 4" x #1PH	5 mm	PH#1
B-61	5 mm x 6" x #1PH	5 mm	PH#1
B-42	6 mm x 4" x #2PH	6 mm	PH#2
B-62	6 mm x 6" x #2PH	6 mm	PH#2
B-63	8 mm x 6" x #3PH	8 mm	PH#3
B-83	8 mm x 8" x #3PH	8 mm	PH#3
B-103	8 mm x 10" x #3PH	8 mm	PH#3

EASY & STUBBY SERIES

Handle: Injection Molded, Shock-proof Polymer

Blade: Round Bar, Chrome Vanadium Steel (Cr-V), anodized brown, magnetized tip.

- Allows access to tight recesses.



Code	Description (Tip x Length)	Blade Dia.	Tip Size (Thickness x Width)
------	-------------------------------	------------	---------------------------------

SLOT TIP:

B-801-03	3.2mm x 3" (Easy)	3.2mm	0.56 x 3.18mm
B-804-1.5	6mm x 1.5" (Stubby)	6mm	1.02 x 6.35mm

PHILLIPS TIP:

B-801-30	3.2mm x 3" x 0PH (Easy)	3.2mm	PH#0
B-804-1.52	6mm x 1.5" x 2PH (Stubby)	6mm	PH#2

SUGAR CANE KNIFE



Code

B-SCK

HIGH-TENSION HACK SAW

- Chrome Plated Tubular Frame
- Die-Cast Aluminum Handle
- Lightweight yet very durable
- 45° Mounting Pins for Flush Cutting
- For 300mm blades
- 30,000psi



Code

B19-0002

HANDSAWS

TRIWISE™ TOOTHING

- EACH TOOTH IS INDIVIDUALLY PROCESSED BY CNC MACHINING
- PRECISION DIAMOND GROUND TEETH FOR RAZOR SHARP CUTTING
- 3 SHARP CUTTING EDGES ON EACH TOOTH WHICH CUT WOOD FIBRE FASTER AND CLEANER
- SUITABLE FOR BOTH RIP OR CROSS CUT APPLICATIONS
- CUTS MUCH FASTER THAN CONVENTIONAL PUNCHED AND FILED TEETH
- PROVIDES CLEAN & SMOOTH CUTTING PERFORMANCE

IMPULSE HARDENING

- TOOTH TIP IS HEATED BY ULTRA HIGH FREQUENCY
- IMPULSE HARDENED TEETH PROVIDE LONGER BLADE-LIFE



Code

B06-0616
B06-0618
B06-0620
B06-0622

Size

16"
18"
20"
22"

- Forged one-piece steel construction for utmost strength and durability.
- Ergonomically designed for less fatigue and vibration.
- Molded grip for more comfort and anti-slip usage.
- Head materials are made from high grade carbon steel, hardened, tempered and precision treated to assure high performance.

STRUCK & STRIKE TOOLS



RIPPING HAMMER

Code	Weight
B-16OZRH	16oz



CLAW HAMMER

Code	Weight
B-16OZCH	16oz



BALL PEIN HAMMERS

Code	Weight
B-08OZBPH	8oz
B-12OZBPH	12oz
B-16OZBPH	16oz
B-24OZBPH	24oz
B-32OZBPH	32oz



DEADBLOW HAMMERS

Code	Weight
B-14OZDH	14oz
B-18OZDH	18oz
B-27OZDH	27oz
B-37OZDH	37oz
B-52OZDH	52oz



CAMP AXE

Code	Weight
B-125LBCA	1.25lb
B-150LBCA	1.5lb



SLEDGE HAMMERS

Code	Weight
B-04LBSH	4lb
B-06LBSH	6lb
B-08LBSH	8lb
B-10LBSH	10lb
B-12LBSH	12lb
B-14LBSH	14lb

SHOVEL



ALL METAL SCOOP 2
B-S501MHY



**HARDWOOD, METAL GRIP HANDLE
SCOOP 2**
B-S501MY



**HARDWOOD, METAL GRIP HANDLE
SCOOP 3**
B-S502MY

SDSmax Drill Bits

Zentro Mining with 4 cutting edges

(Made in Germany)




for
**SDS MAX
HAMMERS**




Code

Description



B-4999

32 x 450 x 570 SDS MAX Drill Bit



B-49000

28 x 550 x 670 SDS MAX Drill Bit

B-49001

32 x 800 x 920 SDS MAX Drill Bit

HEX Shank Chisel

(Made in Germany)

19mm Hex Shank
Pointed Chisel



B-40100400-2100

400mm

30mm-Hex Shank
Pointed Chisel



B-80100400

400mm

SDS PLUS Chisel

(Made in Germany)

Pointed Chisel



B-29100250

250mm

SDS max Chisel

(Made in Germany)

Wing Chisel



B-10635380

380 x 35mm

CODE

SIZE



SDS Plus Drill Bit
(Made in Germany)

B-2401	5 x 50 x 100mm
B-2407	6 x 50 x 110mm
B-2419	8 x 100 x 160mm
B-2428	10 x 100 x 160mm
B-2429	10 x 150 x 210mm
B-2439	12 x 100 x 160mm
B-2441	12 x 200 x 260mm
B-2442	12 x 250 x 310mm
B-2485	13 x 150 x 210mm
B-2448	13 x 250 x 310mm
B-2450	14 x 150 x 210mm
B-2461	16 x 150 x 210mm
B-24408	20 x 150 x 200mm

POWER HACKSAWS

(Made in Germany)



CODE

SIZE

LIST PRICE

B-400059	350 x 25 x 1.25mm	10TPI
B-400082	350 x 32 x 1.50mm	10TPI
B-400146	400 x 32 x 1.50mm	10TPI
B-400229	450 x 32 x 1.50mm	10TPI
B-400262	450 x 38 x 2.00mm	6TPI
B-400466	600 x 50 x 2.50mm	4TPI

HEAVY DUTY HAND RIVETER

- Set 3/32", 1/8", 5/32", 3/16" blind rivets merely by changing quick-switch, screw-in nozzles.
- Interchangeable nozzle bushings fit right on the gun.
- Spring-loaded for automatic ejection of mandrel.
- Smooth, easy, one-handed operation.
- Contour grip handle with vinyl cover for added comfort.



CODE : **B-GS701**

PACKING & SEALING MACHINE SET

(Made in Japan)

CODE : **B-PSM**



TUBULAR LOCK SET



- Accommodates door thickness of: 31,7mm (1 1/4") to 44,4mm (1 3/4")
- All metal locking mechanism
- Installation instructions and template included

- Highest Grade 1 Security
- 100% Rust Proof
- Brass Mechanisms
- Stainless Screws
- 3 Brass Keys

- 70mm Russette Diameter
- 51mm Knob Diameter

PRITZWALK



CODE

B-TLPTSS
B-TLPTPC
B-TLPTAB
B-TLPTPB

MATERIAL

STAINLESS STEEL
POLISH CHROME
ANTIQUÉ BRASS
POLISH BRASS

TROSTBERG



CODE

B-TLTTSS
B-TLTTPC
B-TLTTAB
B-TLTPPB

MATERIAL

STAINLESS STEEL
POLISH CHROME
ANTIQUÉ BRASS
POLISH BRASS

STUTT GART



CODE

B-TLSTSS
B-TLSTPC
B-TLSTAB
B-TLSTPB

MATERIAL

STAINLESS STEEL
POLISH CHROME
ANTIQUÉ BRASS
POLISH BRASS

TUBULAR LOCK : PRIVACY FUNCTION



- Accommodates door thickness of: 31,7mm (1 1/4") to 44,4mm (1 3/4")
- All metal locking mechanism
- Installation instructions and template included
- Highest Grade 1 Security
- 100% Rust Proof
- Brass Mechanisms
- Stainless Screws



CODE
TYPE
MATERIAL

B-PFPTSS
PRITZWALK
SUS304



B-PFPTPC
PRITZWALK
SUS304



B-PFPTAB
PRITZWALK
Brass



B-PFPTPB
PRITZWALK
Brass



CODE
TYPE
MATERIAL
PRICES

B-PFTTSS
TROSTBERG
SUS304
Php 538.00



B-PFTTPC
TROSTBERG
SUS304
Php 538.00



B-PFTTAB
TROSTBERG
Brass
Php 538.00



B-PFTTPB
TROSTBERG
Brass
Php 572.00



CODE
TYPE
MATERIAL

B-PFSTSS
STUTTART
SUS304



B-PFSTPC
STUTTART
SUS304



B-PFSTAB
STUTTART
Brass



B-PFSTPB
STUTTART
Brass

DEAD BOLT LOCK

Conforms with ANSI A156.2

Series G3100, Grade 3.

Exceeds 200,000 cycles.

SINGLE LOCK



CODE

MATERIAL

B-H600SS
B-H600PC
B-H600AB
B-H600PB

STAINLESS STEEL
POLISH CHROME
ANTIQUE BRASS
POLISH BRASS

DOUBLE LOCK



CODE

MATERIAL

B-H800SS
B-H800PC
B-H800AB
B-H800PB

STAINLESS STEEL
POLISH CHROME
ANTIQUE BRASS
POLISH BRASS

HINGES

Solid Stainless 304 Hinge with Stainless Screws and Ball Bearings

This packing includes 1 pair, 12/16pcs. screws



CODE

SIZE

B-SH303025
B-SH353525
B-SH403030
B-SH404030

3 x 3 x 2.5mm
3.5 x 3.5 x 2.5mm
4 x 3 x 3mm
4 x 4 x 3mm

COMBO LOCK (SINGLE DEADBOLT LOCK)



TUBULAR LOCK SET

- Accommodates door thickness of: 31,7mm (1 1/4") to 44,4mm (1 3/4")
- All metal locking mechanism
- Installation instructions and template included
- Highest Grade 1 Security
- 100% Rust Proof
- Brass Mechanisms
- Stainless Screws

- 3 Brass Keys
- 70mm Russette Diameter
- 51mm Knob Diameter

DEAD BOLT LOCK

Conforms with ANSI A156.2
Series G3100, Grade 3.
Exceeds 200,000 cycles.



CODE B-CSPTSS
TYPE PRITZWALK+H600SS
MATERIAL SUS304



CODE B-CSPTPC
TYPE PRITZWALK+H600PC
MATERIAL SUS304



CODE B-CSPTAB
TYPE PRITZWALK+H600AB
MATERIAL Brass



CODE B-CSPTPB
TYPE PRITZWALK+H600PB
MATERIAL Brass



CODE B-CSTTSS
TYPE TROSTBERG+H600SS
MATERIAL SUS304



CODE B-CSTTPC
TYPE TROSTBERG+H600PC
MATERIAL SUS304



CODE B-CSTTAB
TYPE TROSTBERG+H600AB
MATERIAL Brass



CODE B-CSTTPB
TYPE TROSTBERG+H600PB
MATERIAL Brass



CODE B-CSSTSS
TYPE STUTTART+H600SS
MATERIAL SUS304



CODE B-CSSTPC
TYPE STUTTART+H600PC
MATERIAL SUS304



CODE B-CSSTAB
TYPE STUTTART+H600AB
MATERIAL Brass



CODE B-CSSTPB
TYPE STUTTART+H600PB
MATERIAL Brass

COMBO LOCK (DOUBLE DEADBOLT LOCK)



TUBULAR LOCK SET

- Accommodates door thickness of: 31,7mm (1 1/4") to 44,4mm (1 3/4")
- All metal locking mechanism
- Installation instructions and template included
- Highest Grade 1 Security
- 100% Rust Proof
- Brass Mechanisms
- Stainless Screws

- 3 Brass Keys
- 70mm Russette Diameter
- 51mm Knob Diameter

DEAD BOLT LOCK

Conforms with ANSI A156.2 Series G3100, Grade 3. Exceeds 200,000 cycles.



CODE
TYPE
MATERIAL

B-CDPTSS
PRITZWALK+H800SS
SUS304

B-CDPTPC
PRITZWALK+H800PC
SUS304

B-CDPTAB
PRITZWALK+H800AB
Brass

B-CDPTPB
PRITZWALK+H800PB
Brass



CODE
TYPE
MATERIAL

B-CDTTSS
TROSTBERG+H800SS
SUS304

B-CDTTPC
TROSTBERG+H800PC
SUS304

B-CDTTAB
TROSTBERG+H800AB
Brass

B-CDTTPB
TROSTBERG+H800PB
Brass



CODE
TYPE
MATERIAL

B-CDSTSS
STUTTART+H800SS
SUS304

B-CDSTPC
STUTTART+H800PC
SUS304

B-CDSTAB
STUTTART+H800AB
Brass

B-CDSTPB
STUTTART+H800PB
Brass

TAMPER-PROOF, WEATHER-PROOF, RUST-PROOF PADLOCKS

- Pick proof, key retaining feature ensures padlock is not left unlocked
- Outstanding quality and highly durable solid brass body
- Triple-chrome plated large body provides high physical strength
- Hardened steel shackle protects against cutting and sawing
- Further security is provided by hardened stainless steel balls locking the shackle on both sides
- All brass and stainless mechanisms.
- Comes with three chrome plated brass keys.

BALL TYPE

CASE-HARDENED BORON-STEEL SHACKLES, CHROME PLATED BRASS BODY & KEYS (3PCS)

NORMAL SHACKLE



CODE	SIZE
B-30BTNS	30mm
B-40BTNS	40mm
B-50BTNS	50mm
B-60BTNS	60mm
B-70BTNS	70mm

SHROUDED SHACKLE



CODE	SIZE
B-40BTSS	40mm
B-50BTSS	50mm
B-60BTSS	60mm
B-70BTSS	70mm

LONG SHACKLE



CODE	SIZE
B-30BTLS	30mm
B-40BTLS	40mm
B-50BTLS	50mm
B-60BTLS	60mm
B-70BTLS	70mm

DIRECT SHACKLE




CODE	SIZE
B-50BTDS	50mm
B-60BTDS	60mm
B-70BTDS	70mm
B-80BTDS	80mm
B-90BTDS	90mm

SPRING TYPE

CASE-HARDENED BORON-STEEL SHACKLES, BRASS BODY & KEYS (3PCS)


- Outstanding quality and highly brass body.
- Hardened steel shackle protects against cutting and sawing.
- Comes with three keys.

NORMAL SHACKLE



CODE	SIZE
B-15STNS	15mm
B-20STNS	20mm
B-25STNS	25mm
B-30STNS	30mm
B-40STNS	40mm
B-50STNS	50mm
B-60STNS	60mm
B-70STNS	70mm

LONG SHACKLE



CODE	SIZE
B-30STLS	30mm
B-40STLS	40mm
B-50STLS	50mm
B-60STLS	60mm
B-70STLS	70mm

Made in Thailand



NOTE:

Using this *Travel Sentry® Approved* lock allows your luggage to be unlocked and inspected by security authorities without damage.

The Global Standard for Travel Security implemented in:

• AUSTRIA • BELGIUM • CANADA • FINLAND • ISRAEL • JAPAN • KOREA • SWITZERLAND • THE NETHERLANDS • USA



Code

B-TSA249

Description

TSA Key Lock
Shackle size : Ø3mm/W26 x D12.6 x H26.5mm
Housing Material: ABS



B-TSA393

Shackle size : Ø3mm/W31.5 x D15 x H57.25mm
Housing Material: ABS



B-TSA383

Shackle size : Ø3mm/W32.5 x D14 x H36.5mm
Housing Material: ABS
with Inspection Red Collar



B-TSA522

Shackle size : Ø3mm/W30 x D13.8 x H56.5mm
Housing Material: Zinc Alloy
with Inspection Red Collar

Made in Taiwan

Bernmann®

- Duragrip for comfort and durability
- Made of high-grade stainless steel with hammer end



B-04360
DuraGrip 97 3" 11-in-1 Paint Tool,
Stainless Steel



B-05822
DuraGrip K9 1-1/4" Chisel Scraper,
Stainless Steel



B-05843
DuraGrip K9 2" Bent Chisel Scraper,
Stainless Steel



B-05862
DuraGrip K9 3" Chisel Scraper,
Stainless Steel

- High-grade stainless steel for extra long-life.



B-02820
1-1/4"(32mm) Flexible Putty Knife,
Stainless Steel



B-02840
2"(50mm) Flexible Putty Knife,
Stainless Steel



B-02860
3"(75mm) Flexible Putty Knife,
Stainless Steel



B-02821
1-1/4"(32mm) Stiff Putty Knife,
Stainless Steel



B-02841
2"(50mm) Stiff Putty Knife,
Stainless Steel



B-02861
3"(75mm) Stiff Putty Knife,
Stainless Steel



B-15551
3-in-1 Paint Master Tool



B-38905
5pcs. Wallpapering Kit,
Double Blister



B-15561
Paint Master Tool Kit,
content: 3-in-1 paint master tool, universal paint mixer,
5-in-1 paint tool and hex key. Double Blister



Heavy Duty Mud Mixer

B-15141 80 x 8 x 400mm

B-15142 100 x 8 x 400mm

B-15144 120 x 10 x 600mm

B-15146 140 x 10 x 600mm

Bernmann®



B-35050
Economy Dust Mask
50pcs/Box



B-35055
4-Ply Latex-Free Active Carbon Face Mask
50pcs/Box



B-35061
N95 Particulate Respirator
20pcs/Box



B-35010
Ear Muff



B-35080
Impact Goggle



B-35070
Eyeglass Protector



- B-9308SB (S)** *Support Belt Small*
- B-9308SB (M)** *Support Belt Medium*
- B-9308SB (L)** *Support Belt Large*



B-4407G
Reflective Safety Vest
Php 3,600.00 per pack



B-EP509
Ear Foam (5pcs/box)



B-EP519
Ear Foam with Cord (5pcs/box)

WHEELBARROW

- Ergonomic design & easy to install
- Strong & long-lasting

- Best buy for feature & function
- Made in Malaysia

Use:

Excellent strength and long lasting, design for plantation, construction and general purposes.

Specification:

Powder coated tray with side embossed and edge formed for added strength.

Full tubular undercarriage for better support and life span

Wheel size : 13" x3"



Code
Description

B-WBW-PT
Pneumatic Tire



B-WBW-ST
Solid Tire



WHEELBARROW DEEP TYPE

Code
Description

B-WBDT-PT
Pneumatic Tire Deep Type

B-WBDT-ST
Solid Tire Deep Type



WHEELBARROW WIDE TYPE

Code
Description

B-WBWT-PT
Pneumatic Tire Wide Type

B-WBWT-ST
Solid Tire Wide Type

Bernmann®

- Ergonomically designed with innovative features
- High-grade material ensure superior quality



Model	B-3704C	B-3704S	B-3704CS	B-3708
Description	Trimming Pruning Shear (curved blade type)	Trimming Pruning Shear (serrated blade type)	Trimming Pruning Shear (curved & serrated blade type)	By-Pass Pruning Shear
Cutting Capacity	6mm	6mm	6mm	12mm
Size(mm)	180	180	180	180
Blade	Stainless	Stainless	Stainless	Stainless
Handle	Metal Handle & Chrome Plated PVC Grip	Metal Handle & Chrome Plated PVC Grip	Metal Handle & Chrome Plated PVC Grip	Metal Handle & Chrome Plated PVC Grip



Model	B-3118	B-3119	B-3017	B-3028
Description	By-Pass Pruning Shear	Anvil Pruning Shear	Ratchet Pruning Shear	Ratchet Pruning Shear
Cutting Capacity	20mm	20mm	20mm	24mm
Size(mm)	210	205	205	205
Blade	SK5, MCS	SK5, MCS	SK5	SK5
Handle	Plastic Handle Soft Non-slip Grip	Plastic Handle Soft Non-slip Grip	Nylon & Fiberglass Non-slip TPR Grip	Aluminum Handle Soft Non-slip Grip



Model	B-3041	B-2021	B-8503S	B-8505S
Description	Multi-Function Scissors	360° Swivel Glass Shear	9 Teeth Rake (Soft non-slip handle design)	3 Prong Hoe-Cultivator (Soft non-slip handle design)
Cutting Capacity	-----	-----	-----	-----
Size(mm)	260	340	410	285
Blade	SK5	S50C	Metal	Metal
Handle	Nylon & Fiberglass Handle Non-slip TPR Grip	PP & Fiberglass Handle Non-slip TPR Grip	Soft Non-slip Handle	Soft Non-slip Handle

Gardening Tools

Made in Taiwan

B Bernmann®



Model	B-8508S	B-8509S	B-8510S	B-8512S
Description	Cultivator (Soft Non-slip handle design)	Fulcrum Weeder (Soft Non-slip handle design)	Weeder (Soft Non-slip handle design)	Trowel (Soft Non-slip handle design)
Cutting Capacity	-----	-----	-----	-----
Size(mm)	370	355	335	310
Blade	Metal	Metal	Metal	Metal
Handle	Soft Non-slip Handle	Soft Non-slip Handle	Soft Non-slip Handle	Soft Non-slip Handle




Model	B-8513S	B-8514S	B-8501	B-7107
Description	Transplanter (Soft Non-slip handle design)	5 Teeth Rake (Soft Non-slip handle design)	Fruit Picker	Ratchet Lopper
Cutting Capacity	-----	-----	-----	-----
Size(mm)	330	300	180	415
Blade	Metal	Metal	Metal	SK5
Handle	Soft Non-slip Handle	Soft Non-slip Handle	-----	Nylon & Fiberglass Handle



Model	B-9700	B-1002
Description	Forged Hedge Shear	Picker
Cutting Capacity	-----	-----
Size(mm)	635	1015
Blade	Drop Forged Construction	Metal Claws
Handle	Wooden Handle	Aluminum Handle

Made in Taiwan



Model : BML-1500
Low-profile Pallet truck


Capacity	1500kg
Lowered fork height	52mm
Steering wheel	150mm
Fork wheel single	50x93mm
Fork wheel tandem	50x70mm
Max. lift height	140mm
Total height	1189mm
Overall length	1547/1617mm
Fork dimensions	38/150/1150(1220)mm
Width overall forks	520/550/685mm
Ground clearance, centre of wheelbase	22mm
Aisle width for pallets 1000x1200 crossways	1733/1733/1803mm
Aisle width for pallets 800x1200 lengthways	1783/1783/1803mm
Turning radius	1216/1266/1336mm
Service weight	63-75kg



Model : BM-3000
PREMIUM Pallet truck

Capacity	3000kg
Lowered fork height	75mm
Steering wheel	Ø180mm
Fork wheel single	Ø74x93mm
Fork wheel tandem	Ø74x70mm
Max. lift height	190mm
Total height	1214mm
Overall length	1483/1533/1603mm
Fork length	1220mm
Width overall forks	685mm
Ground clearance, centre of wheelbase	22mm
Aisle width for pallets 1000x1200 crossways	1733/1733/1803mm
Aisle width for pallets 800x1200 lengthways	1783/1783/1803mm
Turning radius	1216/1266/1336mm
Service weight	63-75kg

LONG SPAN DECKING RACK



Model : MDLSS202006

Capacity : 400kg